

SAFE WIPE TM

**MULTI-PURPOSE ANTI-BACTERIAL
ALCOHOL WIPES**

BY: EOM GLOBAL, SUFFERN, NEW YORK, USA

FDA Registration Number:

3016842614

Owner Operator Number:

10073328

EOM GLOBAL, LLC

351 Spook Rock Rd.

Suffern, NY 10901

NDC CODE:


77987-001

PACKAGING CODE:

77987-001-01

ITEM# SWT24100

**KILLS
99.9% OF
VIRUSES &
BACTERIA**



Composition:

Fabric: 25%

Liquid: 75%

Ingredients:

Ethyl Alcohol: 75% CAS# 64-17-5

Water: 25% CAS# 7732-18-5

Measurement:

wipe size: 5 x 7 Inches

Weight: 440G±5%

Ph: 3.5-8.5

Packaging

Wipes per pack: 100

Units per case: 24

Quantity for 40HQ: 35,256

Case Size: 16 x 12 x 14

Net Weight: 23.2Lb

Gross Weight: 25Lb

ALCOHOL WET WIPE

100 Count, 75% Alcohol

Outer Case Barcode




Inner Case Barcode



ITEM# SWT12160

**KILLS
99.9% OF
VIRUSES &
BACTERIA**



Composition:

Fabric: 25%

Liquid: 75%

Ingredients:

Ethyl Alcohol: 75% CAS# 64-17-5

Water: 25% CAS# 7732-18-5

Measurement:

wipe size: 5 x 7 Inches

Weight: 680G ± 10g

Ph: 3.5-8.5

Packaging

Wipes per tub: 160

Units per case: 12

Quantity for 40HQ: 17,400

Case Size: 19 x 14.5 x 19

Net Weight: 15.6Lb

Gross Weight: 19.8Lb

ALCOHOL WET WIPE

160 Count, 75% Alcohol

Outer Case Barcode




Inner Case Barcode



ITEM# SWT12180

**KILLS
99.9% OF
VIRUSES &
BACTERIA**



Composition:

Fabric: 25%

Liquid: 75%

Ingredients:

Ethyl Alcohol: 75% CAS# 64-17-5

Water: 25% CAS# 7732-18-5

Measurement:

wipe size: 6 x 8 Inches

Weight: 1.35KG \pm 5

Ph: 3.5-8.5

Packaging

Wipes per tub: 180

Units per case: 10

Quantity for 40HQ: 17,400

Case Size: 21.5 x 16.3 x 8

Net Weight: 32Lb

Gross Weight: 30Lb

ALCOHOL WET WIPE

180 Count, 75% Alcohol


Outer Case Barcode



Inner Case Barcode



ITEM#:SW2450



**KILLS
99.9% OF
VIRUSES &
BACTERIA**

ALCOHOL WET WIPE
50 ct/pack with lid

Composition:

Fabric: 25%

Liquid: 75%

Ingredients:

Ethyl Alcohol: 75% CAS# 64-17-5

Water: 25% CAS# 7732-18-5

Measurement:

wipe size: 6 x 8 Inches

Weight: 300G±5%

Ph: 3.5-8.5

Packaging

Wipes per pack: 50

Units per case: 24

Quantity for 40HQ: 64,200

Case Size: 14 x 9.25 x 10

Net Weight: 14LB

Gross Weight: 15.5Lb

Outer Case Barcode



Inner Case Barcode



SAFETY DATA SHEET

Alcohol Wipes


Version 1.1

Revision Date:09/03/2019

SECTION 1. IDENTIFICATION

product name: Alcohol Wipes
 Product Code QY-0825
 Manufacturer or supplier's details
 Company name of supplier: Jiaxing Qinya Sanitary Product Co.,Ltd.
 Address: No.12 Chunchao Road,Changan
 Town,Haining City,Zhejiang Province
 China
 Emergency telephone number 13486198585
 Contact Person: Tanker Qi

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable Solid	: Category 2
Eye irritation	: Category 2A
GHS label elements	
Hazard pictograms	: Warning
Signal word	
Hazard statements	: H228 Flammable solids : H319 Causes serious eye irritation.
Hazard symbols	: F, Xi
Risk phrases:	: R11-Highly flammable R36-Irritating to eyes

SAFETY DATA SHEET

Eye contact : Not expected to present a hazard to the eyes under normal conditions of use but direct contact of the impregnating fluid with the eyes would cause irritation.
 Inhalation: Not considered to present an inhalation hazard under normal conditions of use.
 Other hazards : None know

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%) V/V
Ethyl Alcohol	64-17-5	>= 70 - < 80
Aqua	7732-18-5	>= 20 - < 30

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.
 If inhaled : If inhaled, remove to fresh air.
 In case of skin contact : Wash with water and soap as a precaution.
 In case of eye contact : In case of contact, immediately flush eyes with plenty of water or at least 15 minutes.
 If easy to do, remove contact lens, if worn.
 Seek medical advice.
 If swallowed : If swallowed, DO NOT induce vomiting.
 Rinse mouth with water. Obtain medical attention.
 Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.
 Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing

SAFETY DATA SHEET

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance.
May form explosive mixtures in air.
Exposure to decomposition products may be a hazard to health.
Carbon oxides
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Keep people away from and upwind of spill/leak. Material can create slippery conditions.
- Environmental precautions : Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and : Non-sparking tools should be used.

SAFETY DATA SHEET

- cleaning up : Soak up with inert absorbent material.
Suppress(knock down) gases/vapours/mists with a water spray jet.
Keep in suitable, closed containers for disposal.
Clean contaminated floors and objects thoroughly while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : For personal protection see section 8.
Keep away from heat and flame. Use with local exhaust ventilation. Avoid contact with eyes.
- Conditions for safe storage : Take measures to prevent the build up of electrostatic charge.
Keep in properly labelled containers.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type Form of exposure	Control parameters /Permissible	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m ³	NIOSH REL
			1,900 mg/m ³	OSHA Z-1
		STEL	1,000 ppm	ACGIH

- Personal protective equipment
- Respiratory protection : No personal respiratory protective equipment normally required
- Eye protection : Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : No special measures necessary provided product is used

SAFETY DATA SHEET

Protective measures	correctly : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Ensure that eye flushing systems and safety showers are located close to the working place.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Solid
Colour	: Clear
Odour	: Alcohol-like
Odour Threshold	: No data available
pH	: 5.0 – 7.0, (20 °C)
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: Approximately 75.00 °C
Flash point	: Approximately 21.00 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	:
Upper explosion limit	: No data available
Liquid Density	: Approximately 0.8722 g/cm ³
Solubility(ies)	
Water solubility	:Soluble
Partition coefficient: n-octanol/water	Not applicable
Auto-ignition temperature	No data available
Explosive properties	: Not explosive
Oxidizing properties	: The products is not classified in oxidizing substance and organic peroxides.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.

SAFETY DATA SHEET

Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation

Eye contact

Skin contact

Acute toxicity

Not classified based on available information.

Components:

Ethyl Alcohol

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour

Skin corrosion/irritation

Not classified based on available information.

Components:

Ethyl Alcohol:

Species: Rabbit

Method: OECD Test Guideline 404 Result: No skin irritation

Components:

Ethyl Alcohol:

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Method: OECD Test Guideline 405

Components:

Ethyl Alcohol:

Test Type: Local lymph node assay (LLNA)

Exposure routes: Skin contact

Species: Mouse

Result: negative

Components:

Ethyl Alcohol: Genotoxicity in vitro

: Test Type: In vitro mammalian cell gene mutation test
Result: negative

SAFETY DATA SHEET

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)
 Test species: Mouse Application Route: Ingestion Result: negative

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Ethyl Alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l

Exposure time: 96 h

Toxicity to algae : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates : NOEC (Daphnia magna (Water flea)): 9.6 mg/l

(Chronic toxicity)

Toxicity to bacteria : EC50 (Photobacterium phosphoreum): 32.1 mg/l

Exposure time: 0.25 h

Ethyl Alcohol:

Biodegradability Exposure time: 20 d

Isopropyl Alcohol : Result: rapidly degradable

Biodegradability

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).


SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

SAFETY DATA SHEET

SECTION 14. TRANSPORT INFORMATION

Lables Required	
HAZCHEM	1Z
Land transport (ADR)	
UN/ID No.	UN 3175
UN proper shipping name	SOLIDS or mixtures of solids (such as preparations and wastes) CONTAINING FLAMMABLE LIQUID, N.O.S. having a flash-point up to 60 °C
Transport hazard class(es)	Class4.1
Packing group	II
Environmental hazard	Not Applicable
Air transport (ICAO-IATA / DGR)	
UN/ID No.	UN 3175
UN proper shipping name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Packing group	II
Sea transport (IMDG-Code / GGVSee)	
UN number	UN 3175
UN proper shipping name	Solids containing flammable liquid, n.o.s. *
Packing group	II

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

Clean Air Act

SAFETY DATA SHEET

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489):

Ethyl Alcohol 64-17-5 75 %

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act


This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

SECTION 16. OTHER INFORMATION

Further information NFPA:



Revision Date: 09/03/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.